

| | | |
|--|-------------------------|------------|
| IARU DOCUMENT: REG1TEST (IARU Region 1 Committee C.5) | | Issue: 1,1 |
| Subject Electronic Data Interchange - EDI-file format for contests in Region 1 above 30 MHz | | |
| Scope This document is the specification for the Region 1 contest file formats above 30 MHz. Examples for commonly known contests are shown in the appendix. The aim is to make contest-log programmers able to deliver a standard (file) format from their programs, to enable contest managers to receive log data through various types of communication systems e.g. diskettes, packet AX.25, telephone, etc; for electronic evaluation purposes. | | |
| Original Prepared by: Bo Hansen, OZ1FDJ, Søren Pedersen, OZ1FTU | | |
| Date: 19950402 | Revision date: 19950621 | Pages: 19 |

Revision record

| Issue | Reason for change | Revised by | Date | Effective date | Approved by |
|-------|---|--|----------|----------------|------------------------|
| 1,0 | Original | Bo Hansen, OZ1FDJ Søren Pedersen OZ1FTU | 19950402 | 19950402 | Arie Dogterom PA0EZ |
| 1,1 | CWWLP replaced by CWWLs on page 6 only. 70 MHz band added RHBBS changed to free format | Bo Hansen, OZ1FDJ | 19950621 | 19950621 | Arie Dogterom PA0EZ |

Introduction

Since 1992 EDR has been working on a suggestion for a common data transfer format for VHF and above contests logs. In 1994 EDR introduced the NORDACTI format for use in the Nordic Activity Contests. The introduction was successfully received as more than 40% of all contest logs were submitted electronically.

The aim of the common file format is to make contest log programmers able to deliver a standard output file from their programs, to enable contest managers to receive logs via data transfer system (e.g. diskettes, Packet Radio) introduce electronic log processing and ease submission for participants.

The format does not specify when to use it. Generally speaking, the usage is up to the contest manager. Seen from a validation point of view it can be used for checking "big" stations only. From an easy-submission point of view it can be used to ease the submission among contest participants as an alternative to traditional mail. What media to use is not specified, and is up to the contest manager. If Packet Radio is a reliable media it is a good choice, however, it does not solve the legal issue with the responsible operators signature.

When a contest manager invites to a contest she/he should state if electronic log submission is possible, in what way (e.g. INTERNET) and where (managers E-mail address), just like own mailing address. Contest manager must have a validation program to make a complete validation including cross checking etc.

Contest participants can use the electronic data file format to submit their logs to the contest manager in time. To be able to do this, participants must use a contest program capable of generating a REG1TEST file.

Format

```

[REG1TEST;1]                                     File identifier;file version
F TName=Contest name
TDate=Beginning;ending date of contest
PCall=Callsign used
PWWLo=WWL used
PEXch=Exchange used
F PAdr1=Address line 1 from where the contest took place
F PAdr2=Address line 2 from where the contest took place
F PSect=Section in which station participates
PBand=Band used during the contest
PClub=Club station where points can be accumulated
F RName=Name of responsible operator
RCall=Callsign of responsible operator
F RAdr1=Address line 1 of responsible operator
F RAdr2=Address line 2 of responsible operator
F RPoCo=Postal code of responsible operator
F RCity=City of responsible operator
F RCoun=Country of responsible operator
F RPhon=Phone number of responsible operator
F RHBBS=Home BBS of responsible operator
MOpel=Multi operator line 1
MOpe2=Multi operator line 2
F STXEq=TX equipment
F SPowe=TX power [W]
F SRXEq=RX equipment
F SAnte=Antenna
F SAntH=Antenna height above ground level [m];height above sea level [m]
CQSOS=Claimed number of valid QSOs;Band multiplier
CQSOP=Claimed number of QSO-points
CWWLs=Claimed number of WWLs;Bonus per each new WWL;WWL multiplier
CWWLB=Claimed number of WWL bonus points
CEXcs=Claimed number of Exchanges;Bonus per each new Exchange;Exchange multiplier
CEXcB=Claimed number of Exchange bonus points
CDXCc=Claimed number of DXCCs;Bonus per each new DXCC;DXCC multiplier
CDXCB=Claimed number DXCC bonus
CToSc=Claimed total score
CODXC=Call;WWL;distance                         Best DX contact
[Remarks]                                       Remarks identifier
F Remarks lines
[QSORecords;Number of QSO records following]     QSO records identifier;number of QSO records following
Date;Time;Call;Mode code;Sent-RST;Sent QSO number;Received-RST;Received QSO number;Received exchange;Received-WWL;
QSO-Points;New-Exchange- (N) ;New-WWL- (N) ;New-DXCC- (N) ;Duplicate-QSO- (D)

```

Explanations of keywords

Keywords are defined as the word in front of the actual argument. The keyword is separated from the argument with an equal sign (=).

[REG1TEST;1]

REG1TEST;1 is the file identifier and the file version. It serves as an indicator for which format and version is being used and where data begins.

TName

Argument describes the name of the contest in which the station participated.

TDate

Arguments describe the beginning and ending dates of the contest. Arguments are separated with a semicolon (;). Arguments are written as YYYYMMDD.

PCall

Argument describes the callsign used during the contest.

PWWLo

Argument describes own World Wide Locator (WWL, Maidenhead, Universal Locator) used during the contest. Maximum length is six characters.

PExch

Argument describes own Exchange during the contest. This can be any type of information, e.g. Province, DOK, County, State, Power, Name. Maximum length is six characters.

PAdr1

Argument describes the address of the QTH used during the contest, line 1.

PAdr2

Argument describes the address of the QTH used during the contest, line 2.

PSect

Argument describes in which section the station is participating. Synonyms to the meaning "section" are: class, category, group etc.

PBand

Argument describe which band was used during the contest. Please note the bands and which frequency range they represent in the table below:

| <u>Frequency</u> | | <u>PBand</u> |
|------------------|---|--------------|
| 50 - 54 MHz | = | 50 MHz |
| 70 - 70,5 MHz | = | 70 MHz |
| 144 - 148 MHz | = | 144 MHz |
| 430 - 440 MHz | = | 432 MHz |
| 1240 - 1300 MHz | = | 1,3 GHz |
| 2300 - 2450 MHz | = | 2,3 GHz |
| 3400 - 3600 MHz | = | 3,4 GHz |
| 5650 - 5850 MHz | = | 5,7 GHz |
| 10,0 - 10,5 GHz | = | 10 GHz |
| 24,0 - 24,25 GHz | = | 24 GHz |
| 47,0 - 47,2 GHz | = | 47 GHz |
| 75,5 - 81 GHz | = | 76 GHz |
| 120 - 120 GHz | = | 120 GHz |
| 142 - 148 GHz | = | 144 GHz |
| 241 - 250 GHz | = | 248 GHz |

PClub

Argument describes the callsign of the radio club where operator(s) are member. Can be used if points are accumulated to the club etc.

RName

Argument describes the given- and surname of the responsible operator.

RCall

Argument describes the callsign of the responsible operator.

RAdr1

Argument describes the address of the responsible operator, line 1.

RAdr2

Argument describes the address of the responsible operator, line 2.

RPoCo

Argument describes the postal code of the responsible operator.

RCity

Argument describes the city of the responsible operator.

RCoun

Argument describes the country of the responsible operator.

RPhon

Argument describes the telephone number of the responsible operator.

RHBBS

Argument describes the Bulletin Board System or electronic mail address of the responsible operator.

MOpe1

Arguments describe the operators participating in the contest, line 1. All arguments separated with a semicolon (;). Responsible operator is not needed in this argument.

MOpe2

Arguments describe the operators participating in the contest, line 2. All arguments are separated with a semicolon (;). Responsible operator is not needed in this argument.

STXEq

Argument describes the transmitting equipment used during the contest.

SPowe

Argument describes the transmitting power used during the contest, unit is Watt.

SRXEq

Argument describes the receiving equipment used during the contest.

SAnte

Argument describes the antenna system used during the contest.

SAnth

Arguments describe the antenna height above ground level and sea level, unit is meter. All arguments separated with a semicolon (;).

CQSOs

Arguments describe the claimed number of valid QSOs and the band multiplier. All arguments are separated with a semicolon (;).

CQSOP

Argument describes the claimed total number of QSO-points. The format does not specify that QSO-points can only be based upon distances.

CWWLs

Arguments describe the claimed number of WWLs worked, the number of bonus points claimed for each new WWL and the WWL multiplier. All arguments are separated with a semicolon (;).

If no bonus points are claimed then bonus points per each new WWL are set to zero (0). If no multiplication is used for each new WWL the multiplier is set to one (1).

CWWLB

Argument describes the claimed total number of WWL bonus points.

CExcs

Arguments describe the claimed number of Exchanges worked, the number of bonus points claimed for each new Exchange and the Exchange multiplier. All arguments are separated with a semicolon (;).

If no bonus points are claimed then bonus points per each new Exchange are set to zero (0). If no multiplication is used for each new Exchange the multiplier is set to one (1).

CExcB

Argument describes the claimed total number of Exchange bonus points.

CDXCs

Arguments describe the claimed number of DXCCs worked, the number of bonus points claimed for each new DXCC and the DXCC multiplier. All arguments are separated with a semicolon (;).

If no bonus points are claimed then bonus points per each new DXCC are set to zero (0). If no multiplication is used for each new DXCC the multiplier is set to one (1).

CDXCB

Argument describes the claimed total number of DXCC bonus points.

CToSc

Argument describes the total claimed score. The format does not specify how the total score is calculated.

CODXC

Arguments describe the claimed ODX contact call, WWL and distance. All arguments are separated with a semicolon (;).

[Remarks]

The [Remarks] identifier is used to mark where the Remarks begins. All lines following, until [QSORecords;Number of QSO records following], are remarks. If no remarks are written identifier must still be present.

Remarks lines

Remarks lines are where the station may write comments to the test. The number of lines is variable. All lines in between [Remarks] and [QSORecords;Number of QSO records following] are remarks.

[QSORecords;Number of QSO records following]

The [QSORecords;Number of QSO records following] is the QSO record identifier used to mark where QSO records begins, and how many consecutive QSO records to follow.

QSO record definition

Date;Time;Call;Mode code;Sent-RST;Sent QSO number;Received RST;Received QSO number;Received Exchange;Received-WWL;QSO-Points;New-Exchange-(N);New-WWL-(N);New-DXCC-(N);Duplicate-QSO-(D)

All arguments are separated with a semicolon (;).

All fields in the QSO record is written on the same line, and ending with ASCII characters 13 and 10 (CR LF).

| <i>Field</i> | | <i>Maximum length</i> |
|---------------------|---|-----------------------|
| Date | = YYMMDD, 6 characters | 6 |
| Time | = UTC, 4 characters, with leading zeros | 4 |
| Call | = 3 to 14 characters | 14 |
| Mode code | = 0 or 1 character | 1 |
| Sent-RST | = 0 or 2 or 3 characters | 3 |
| Sent QSO number | = 0 or 3 or 4 characters, with leading zeros | 4 |
| Received-RST | = 0 or 2 or 3 characters | 3 |
| Received QSO number | = 0 or 3 or 4 characters, with leading zeros | 4 |
| Received Exchange | = 0 or 1 to 6 characters (see also PExch) | 6 |
| Received WWL | = 0 or 4 or 6 characters, World Wide Locator | 6 |
| QSO points | = 1 to 6 characters, including bandmultiplier | 6 |
| New-Exchange | = 0 or 1 character, "N" if QSO is a new exchange | 1 |
| New-WWL | = 0 or 1 character, "N" if QSO is a new WWL | 1 |
| New-DXCC | = 0 or 1 character, "N" if QSO is a new DXCC | 1 |
| Duplicate-QSO | = 0 or 1 character, "D" if contact is a duplicate QSO | 1 |
| | | 61 |
| | + field separators, | 14 |
| | | 75 |

Mode code

The mode code is used to show which modes were used for the QSO. Below is a list of the code with corresponding modes.

| <i>Mode code</i> | <i>TX mode</i> | <i>RX mode</i> |
|------------------|----------------|----------------|
| 0 | non of below | non of below |
| 1 | SSB | SSB |
| 2 | CW | CW |
| 3 | SSB | CW |
| 4 | CW | SSB |
| 5 | AM | AM |
| 6 | FM | FM |
| 7 | RTTY | RTTY |
| 8 | SSTV | SSTV |
| 9 | ATV | ATV |

If the mode is not important it can be left blank, i.e. not stated in rules/invitation.

Characters

Used characters are in accordance with the 7-bit ASCII alphabet and only characters with the following decimal number are allowed 10, 13, 32-127.

Line length

If line length is already specified it must not be exceeded, other lines must not exceed a length of 75 characters. Length is limited due to Packet Radio transferral.

F

All lines, in the format description, with the "F" denote that entry is a *free format*. This means that any of the above characters in the 7-bit ASCII alphabet can be used.

All other entries are *forced format* and characters, as above, are in capital. All numbers in forced format are positive integers and non-exponential notation and entry can not be left empty, i.e. 0 (zero) or greater. All forced formats must be in accordance with SI-units (Système International).

Separator (;)

This separator semicolon (;) is written to separate multiple information on same line.

If the format is used for a contest which does not use some of the QSO exchanges, i.e. QSO no., WWL and Exchange, these fields are left blank. Proper interpretation must be ensured by manager program.

Faulty QSOs

A duplicate QSO is marked with a "D" in the Duplicate-QSO field, and the QSO-points field is set to 0 (zero). The format does not define when a QSO is a duplicate.

An incomplete QSO is written with the information received, and the QSO-points field is set to zero (0).

In case of a mistake, an error mark must be inserted in the Callsign field to keep a correct flow in the number of QSOs records. The error mark must be an "ERROR" and the other fields except Time and Sent QSO no., if used, can be left empty. In case the empty field is accumulated, e.g. QSO-points, it is set to 0 (zero).

QSO numbers

The format does not define in what order the QSO numbers must be listed. It is possible to use the format to submit logs for contests requiring consecutive numbers for all QSOs, even if they are on different bands.

Missing information

If a contest log program can not fill in all the information, the missing information can be left blank, except if information is needed for claiming/calculating scores, e.g. log program cannot identify WWLs, DXCCs etc. If the information is required for the scores this log program can not be used for this particular contest anyway.

Appendix

The following section describes different EDI-files for various commonly known contest types.

Region 1 Contest, standard type

```
[REG1TEST;1]
TName=IARU Region 1, March contest VHF
TDate=19950304;19950305
PCall=OZ1FDJ
PWWLo=JO65FR
PExch=
PAdr1=Herlevgaardsvej 32 A, st. tv., DK-2730 Herlev
PAdr2=
PSect=Multi operator
PBand=144 MHz
PClub=OZ2AGR
RName=Bo Hansen
RCall=OZ1FDJ
RAdr1=Herlevgaardsvej 32 A, st. tv.
RAdr2=
RPoCo=DK-2730
RCity=Herlev
RCoun=DENMARK
RPhon=(+45) 42 91 53 98
RHBBS=OZ6BBS
MOpe1=OZ1FTU
MOpe2=
STXEq=FT-225RD+MRF247
SPowe=90
SRXEq=FT-225RD+MuTek+BF981 1,5 dB NF
SAnte=9 elements OZ5HF
SAnth=14;41
CQSOS=24;1
CQSOP=11579
CWWLs=19;0;1
CWWLB=0
CExcs=0;0;1
CExcB=0
CDXCs=7;0;1
CDXCB=0
CToSc=11579
CODXC=OY9JD;IP62OA;1302
[Remarks]
Nice with the Aurora, made it possible to work more than usual
in a 24 h contest. Nice to hear Jon (OY9JD) again, but, many
stations calling so no time for chat.
Besides the Aurora there was only little activity, as usual, in
Scandinavia.
```

Empty line and page break inserted due to layout, is not the case for real output.

Region 1, VHF and above electronic contest log exchange format

[QSORecords;26]
950304;1445;OZ9SIG;1;59;001;59;006;;JO65ER;6;;N;N;
950304;1446;DL5BBF;1;54;002;59;023;;JO42LT;396;;N;N;
950304;1449;OZ1HLB/P;1;59;003;59;015;;JO55US;48;;N;;
950304;1450;DL6FBL;1;53;004;51;092;;JO40XL;608;;N;;
950304;1454;DF0TAU;1;54;005;59;084;;JO40QO;606;;;;
950304;1508;DJ3QP;1;55;006;59;095;;JO42FB;485;;;;
950304;1510;DG5TR;1;53;007;53;006;;JO53QP;242;;N;;
950304;1519;DL0WU;1;55;008;53;108;;JO31OF;609;;N;;
950304;1528;DL3LAB;1;59;009;59;046;;JO44XS;191;;N;;
950304;1532;DL5XV;1;56;010;59;033;;JO53AO;283;;;;
950304;1544;OZ8RY/A;1;56;011;57;010;;JO66HB;39;;N;;
950304;1553;OZ1AOO;1;59;012;59;001;;JO65FR;1;;;;
950304;1603;ERROR;;;013;;;0;;;;
950304;1618;DL0WX;1;53;014;52;174;;JO30FQ;688;;N;;
950304;1626;SM4HFI;2;53A;015;54A;019;;JP70TO;573;;N;N;
950304;1631;GM4YXI;2;57A;016;55A;015;;IO87WI;911;;N;N;
950304;1636;OH2AAQ;2;52A;017;59A;015;;KO29FX;851;;N;N;
950304;1640;OH2BNH;2;55A;018;57A;024;;KP20LG;891;;N;;
950304;1641;LA2AB;1;59A;019;57A;027;;JO59FV;479;;N;N;
950304;1646;SM5BSZ;2;55A;020;57A;029;;JO89IJ;480;;N;;
950304;1700;SK5BN;2;51A;021;55A;026;;JP80UE;585;;N;;
950304;1720;DL9LBA;2;529;022;559;056;;JO44UP;213;;;;
950304;1730;SK6NP;2;559;023;539;029;;JO68MB;262;;N;;
950304;1736;OH1MDR;2;52A;024;57A;023;;KP01VJ;830;;N;;
950304;1739;OY9JD;2;51A;025;52A;011;;IP62OA;1302;;N;N;
950304;1826;OZ9SIG;1;59;026;59;006;;JO65ER;0;;;;D

AGCW DL VHF Contest (contest manager: DJ2QZ)

[REG1TEST;1]
TName=AGCW contest 2 m
TDate=19950318;19950318
PCall=OZ1FDJ
PWWLo=JO65FR
PExch=C
PAdr1=Herlevgaardsvej 32 A, st. tv., DK-2730 Herlev
PAdr2=
PSect=C
PBand=144 MHz
PClub=OZ2AGR
RName=Bo Hansen
RCall=OZ1FDJ
RAdr1=Herlevgaardsvej 32 A, st. tv.
RAdr2=
RPoCo=DK-2730
RCity=Herlev
RCoun=DENMARK
RPhon=(+45) 42 91 53 98
RHBBS=OZ6BBS
MOpe1=
MOpe2=
STXEq=FT-225RD+MRF247
SPowe=90
SRXEq=FT-225RD+MuTek+BF981 1,5 dB NF
SAnte=9 elements OZ5HF
SAnth=14;41
CQSOS=24;1
CQSOP=11579
CWWLs=19;500;1
CWWLB=9500
CExcs=3;0;1
CExcB=0
CDXCs=7;0;1
CDXCB=0
CToSc=11579
CODXC=OY9JD;IP620A;1302
[Remarks]
Nice with the Aurora, made it possible to work more than usual.
Nice to hear Jon (OY9JD) again, but, many stations calling so
no time for chat.
Besides the Aurora there was only little activity, as usual, in
Scandinavia.

Empty line and page break inserted due to layout, is not the case for real output.

Region 1, VHF and above electronic contest log exchange format

[QSORecords;26]
950318;1600;OZ9SIG;2;599;001;599;006;B;JO65ER;6;N;N;N;
950318;1602;DL5BBF;2;549;002;599;023;C;JO42LT;396;N;N;N;
950318;1607;OZ1HLB/P;2;599;003;599;015;C;JO55US;48;;N;;
950318;1609;DL6FBL;2;539;004;519;092;C;JO40XL;608;;N;;
950318;1614;DF0TAU;2;549;005;599;084;B;JO40QO;606;;;;
950318;1618;DJ3QP;2;559;006;599;095;C;JO42FB;485;;;;
950318;1625;DG5TR;2;539;007;539;006;A;JO53QP;242;N;N;;
950318;1628;DL0WU;2;559;008;539;108;C;JO31OF;609;;N;;
950318;1630;DL3LAB;2;599;009;599;046;C;JO44XS;191;;N;;
950318;1632;DL5XV;2;569;010;599;033;C;JO53AO;283;;;;
950318;1644;OZ8RY/A;2;569;011;579;010;A;JO66HB;39;;N;;
950318;1653;OZ1AOO;2;599;012;599;001;A;JO65FR;1;;;;
950318;1703;ERROR;;;013;;;0;;;;
950318;1718;DL0WX;2;539;014;529;174;C;JO30FQ;688;;N;;
950318;1726;SM4HFI;2;53A;015;54A;019;C;JP70TO;573;;N;N;
950318;1731;GM4YXI;2;57A;016;55A;015;C;IO87WI;911;;N;N;
950318;1736;OH2AAQ;2;52A;017;59A;015;C;KO29FX;851;;N;N;
950318;1740;OH2BNH;2;55A;018;57A;024;C;KP20LG;891;;N;;
950318;1741;LA2AB;2;59A;019;57A;027;C;JO59FV;479;;N;N;
950318;1746;SM5BSZ;2;55A;020;57A;029;C;JO89IJ;480;;N;;
950318;1800;SK5BN;2;51A;021;55A;026;C;JP80UE;585;;N;;
950318;1820;DL9LBA;2;529;022;559;056;C;JO44UP;213;;;;
950318;1830;SK6NP;2;559;023;539;029;B;JO68MB;262;;N;;
950318;1836;OH1MDR;2;52A;024;57A;023;C;KP01VJ;830;;N;;
950318;1839;OY9JD;2;51A;025;52A;011;C;IP62OA;1302;;N;N;
950318;1846;OZ9SIG;2;599;026;599;006;B;JO65ER;0;;;;D

Nordic Activity Contest, 432 MHz (contest manager OZ: OZ1EYN)

[REG1TEST;1]
TName=EDR Aktivitetstest UHF 70 cm
TDate=19950314;19950314
PCall=OZ1FDJ
PWWLo=JO65FR
PExch=
PAdr1=Herlevgaardsvej 32 A, st. tv., DK-2730 Herlev
PAdr2=
PSect=2
PBand=432 MHz
PClub=OZ2AGR
RName=Bo Hansen
RCall=OZ1FDJ
RAdr1=Herlevgaardsvej 32 A, st. tv.
RAdr2=
RPoCo=DK-2730
RCity=Herlev
RCoun=DENMARK
RPhon=(+45) 42 91 53 98
RHBBS=OZ6BBS
MOpe1=
MOpe2=
STXEq=FT-225RD+MRF644
SPowe=50
SRXEq=FT-225RD+Transverter+MGF1302 0,8 dB NF
SAnte=13 elements OZ5HF
SAnth=14;41
CQS0s=24;1
CQSOP=11579
CWWLs=19;300;1
CWWLB=5700
CExcs=0;0;1
CExcB=0
CDXCs=7;0;1
CDXCB=0
CToSc=17279
CODXC=OY9JD;IP620A;1302
[Remarks]
Nice with the Aurora, made it possible to work more than usual.
Nice to hear Jon (OY9JD) again, but, many stations calling so
no time for chat.
Besides the Aurora there was only little activity, as usual, in
Scandinavia.

Empty line and page break inserted due to layout, is not the case for real output.

Region 1, VHF and above electronic contest log exchange format

[QSORecords;26]
950314;1845;OZ9SIG;1;59;;59;;;JO65ER;6;;N;N;
950314;1846;DL5BBF;1;54;;59;;;JO42LT;396;;N;N;
950314;1849;OZ1HLB/P;1;59;;59;;;JO55US;48;;N;;
950314;1850;DL6FBL;1;53;;51;;;JO40XL;608;;N;;
950314;1854;DF0TAU;1;54;;59;;;JO40QO;606;;;;
950314;1908;DJ3QP;1;55;;59;;;JO42FB;485;;;;
950314;1910;DG5TR;1;53;;53;;;JO53QP;242;;N;;
950314;1919;DL0WU;1;55;;53;;;JO31OF;609;;N;;
950314;1928;DL3LAB;1;59;;59;;;JO44XS;191;;N;;
950314;1932;DL5XV;1;56;;59;;;JO53AO;283;;;;
950314;1944;OZ8RY/A;1;56;;57;;;JO66HB;39;;N;;
950314;1953;OZ1AOO;1;59;;59;;;JO65FR;1;;;;
950314;2003;ERROR;;;0;;;;
950314;2018;DL0WX;1;53;;52;;;JO30FQ;688;;N;;
950314;2026;SM4HFI;2;53A;;54A;;;JP70TO;573;;N;N;
950314;2031;GM4YXI;2;57A;;55A;;;IO87WI;911;;N;N;
950314;2036;OH2AAQ;2;52A;;59A;;;KO29FX;851;;N;N;
950314;2040;OH2BNH;2;55A;;57A;;;KP20LG;891;;N;;
950314;2041;LA2AB;1;59A;;57A;;;JO59FV;479;;N;N;
950314;2046;SM5BSZ;2;55A;;57A;;;JO89IJ;480;;N;;
950314;2100;SK5BN;2;51A;;55A;;;JP80UE;585;;N;;
950314;2120;DL9LBA;2;529;;559;;;JO44UP;213;;;;
950314;2130;SK6NP;2;559;;539;;;JO68MB;262;;N;;
950314;2136;OH1MDR;2;52A;;57A;;;KP01VJ;830;;N;;
950314;2139;OY9JD;2;51A;;52A;;;IP62OA;1302;;N;N;
950314;2146;OZ9SIG;1;59;;59;;;JO65ER;0;;;;D

ARI Activity six meter (contest manager: IW0BET)

[REG1TEST;1]
TName=ARI six meter activity 1995
TDate=19950304;19950305
PCall=OZ1FDJ
PWWLo=JO65FR
PExch=
PAdr1=Herlevgaardsvej 32 A, st. tv., DK-2730 Herlev
PAdr2=
PSect=2/A
PBand=50 MHz
PClub=OZ2AGR
RName=Bo Hansen
RCall=OZ1FDJ
RAdr1=Herlevgaardsvej 32 A, st. tv.
RAdr2=
RPoCo=DK-2730
RCity=Herlev
RCoun=DENMARK
RPhon=(+45) 42 91 53 98
RHBBS=OZ6BBS
MOpe1=
MOpe2=
STXEq=TS-120+Transverter
SPowe=50
SRXEq=TS-120+Transverter+BF981 1,5 dB NF
SAnte=5 elements Tonna
SAnth=14;41
CQSOS=24;1
CQSOP=24
CWWLs=19;0;1
CWWLB=0
CExcs=0;0;1
CExcB=0
CDXCs=7;0;1
CDXCB=0
CToSc=3192
CODXC=OY9JD;IP620A;1302
[Remarks]
Nice with the Aurora, made it possible to work more than usual.
Nice to hear Jon (OY9JD) again, but, many stations calling so
no time for chat.
Besides the Aurora there was only little activity, as usual, in
Scandinavia.

Empty line and page break inserted due to layout, is not the case for real output.

Region 1, VHF and above electronic contest log exchange format

[QSORecords;26]
950304;1300;OZ9SIG;1;59;;59;;;JO65ER;1;;N;N;
950304;1302;DL5BBF;1;54;;59;;;JO42LT;1;;N;N;
950304;1305;OZ1HLB/P;1;59;;59;;;JO55US;1;;N;;
950304;1309;DL6FBL;1;53;;51;;;JO40XL;1;;N;;
950304;1312;DF0TAU;1;54;;59;;;JO40QO;1;;;;
950304;1315;DJ3QP;1;55;;59;;;JO42FB;1;;;;
950304;1317;DG5TR;1;53;;53;;;JO53QP;1;;N;;
950304;1319;DL0WU;1;55;;53;;;JO31OF;1;;N;;
950304;1328;DL3LAB;1;59;;59;;;JO44XS;1;;N;;
950304;1332;DL5XV;1;56;;59;;;JO53AO;1;;;;
950304;1344;OZ8RY/A;1;56;;57;;;JO66HB;1;;N;;
950304;1353;OZ1AOO;1;59;;59;;;JO65FR;1;;;;
950304;1403;ERROR;0;;;0;;;;
950304;1418;DL0WX;1;53;;52;;;JO30FQ;1;;N;;
950304;1426;SM4HFI;2;53A;;54A;;;JP70TO;1;;N;N;
950304;1431;GM4YXI;2;57A;;55A;;;IO87WI;1;;N;N;
950304;1436;OH2AAQ;2;52A;;59A;;;KO29FX;1;;N;N;
950304;1440;OH2BNH;2;55A;;57A;;;KP20LG;1;;N;;
950304;1441;LA2AB;1;59A;;57A;;;JO59FV;1;;N;N;
950304;1446;SM5BSZ;2;55A;;57A;;;JO89IJ;1;;N;;
950304;1500;SK5BN;2;51A;;55A;;;JP80UE;1;;N;;
950304;1520;DL9LBA;2;529;;559;;;JO44UP;1;;;;
950304;1530;SK6NP;2;559;;539;;;JO68MB;1;;N;;
950304;1536;OH1MDR;2;52A;;57A;;;KP01VJ;1;;N;;
950304;1539;OY9JD;2;51A;;52A;;;IP62OA;1;;N;N;
950304;1546;OZ9SIG;1;59;;59;;;JO65ER;0;;;;D

UK Six Metre Group (contest manager: BRS 25429)

[REG1TEST;1]
TName=UK Six Metre Group Contest 1995
TDate=19950603;19950603
PCall=OZ1FDJ
PWWLo=JO65FR
PExch=
PAdr1=Herlevgaardsvej 32 A, st. tv., DK-2730 Herlev
PAdr2=
PSect=Rest of Europe
PBand=50 MHz
PClub=OZ2AGR
RName=Bo Hansen
RCall=OZ1FDJ
RAdr1=Herlevgaardsvej 32 A, st. tv.
RAdr2=
RPoCo=DK-2730
RCity=Herlev
RCoun=DENMARK
RPhon=(+45) 42 91 53 98
RHBBS=OZ6BBS
MOpe1=
MOpe2=
STXEq=TS120+Transverter
SPowe=50
SRXEq=TS120+Transverter+BF981 1,5 dB NF
SAnte=5 elements Tonna
SAnth=14;41
CQSOS=24;1
CQSOP=24
CWWLs=19;0;1
CWWLB=0
CExcs=4;1;1
CExcB=4
CDXCs=8;0;1
CDXCB=0
CToSc=4256
CODXC=OY9JD;IP620A;1302
[Remarks]
Nice with the Aurora, made it possible to work more than usual
in a 24 h contest. Nice to hear Jon (OY9JD) again, but, many
stations calling so no time for chat.
Besides the Aurora there was only little activity, as usual, in
Scandinavia.

Empty line and page break inserted due to layout, is not the case for real output.

Region 1, VHF and above electronic contest log exchange format

[QSORecords;26]
950603;1845;OZ3SDL;1;59;;59;;24684;JO65;1;N;N;N;
950603;1846;DL5BBF;1;54;;59;;;JO42;1;;N;N;
950603;1849;OZ1HLB/P;1;59;;59;;;JO55;1;;N;;
950603;1850;DL6FBL;1;53;;51;;;JO40;1;;N;;
950603;1854;DF0TAU;1;54;;59;;;JO40;1;;;;
950603;1908;DJ3QP;1;55;;59;;;JO42;1;;;;
950603;1910;G5TR;1;53;;53;;44353;IO93;1;N;N;N;
950603;1919;DL0WU;1;55;;53;;;JO31;1;;N;;
950603;1928;DL3LAB;1;59;;59;;;JO44;1;;N;;
950603;1932;DL5XV;1;56;;59;;;JO53;1;;;;
950603;1944;OZ8RY/A;1;56;;57;;;JO66;1;;N;;
950603;1953;OZ1AOO;1;59;;59;;;JO65;1;;;;
950603;2003;ERROR;;;0;;;;
950603;2018;DL0WX;1;53;;52;;;JO30;1;;N;;
950603;2026;SM4HFI;2;53A;;54A;;;JP70;1;;N;N;
950603;2031;GM4YXI;2;57A;;55A;;14568;IO87;1;N;N;N;
950603;2036;OH2AAQ;2;52A;;59A;;;KO29;1;;N;N;
950603;2040;OH2BNH;2;55A;;57A;;;KP20;1;;N;;
950603;2041;LA2AB;1;59A;;57A;;;JO59;1;;N;N;
950603;2046;GM5BSZ;2;55A;;57A;;23874;IO89;1;N;N;;
950603;2100;SK5BN;2;51A;;55A;;;JP80;1;;N;;
950603;2120;DL9LBA;2;529;;559;;;JO44;1;;;;
950603;2130;SK6NP;2;559;;539;;;JO68;1;;N;;
950603;2136;OH1MDR;2;52A;;57A;;;KP01;1;;N;;
950603;2139;OY9JD;2;51A;;52A;;;IP62;1;;N;N;
950603;2146;OZ3SDL;1;59;;59;;24684;JO65;0;;;;D